

UMATT

INFITT

AJMATT

Injector Solenoid Valve F00RJ02701 Technical File

AIMAIT

UMPITT

SHUMFITT

3H

SH

SA

SHUMMIT

AUMAIT

1

Thim

SHUMAT

UMAT

11

UMATT

SKU: G1B2F00RJ02701



SHUMAT

mit

miniT

TIMM

INFITT

UMAIT





SHUMATT

SHUMATT

TIM

SHUMATT

ITEM

SHUMATT

TIMM

TIM

SHUTTER SPARAT SPLICE Shenzhen Shumatt Technology Co., Ltd. SHU MATT

Injector Solenoid Valve F00RJ02701 Technical File

578.208

1995	1. F00RJ02701 Injector Solenoid Valve Introduction
sm	1. F00RJ02701 Injector Solenoid Valve Introduction
	1.1. F00RJ02701 Injector Solenoid Valve Basic Information
	1.2. F00RJ02701 Injector Solenoid Valve Common Part Number
State.	1.3. F00RJ02701 Injector Solenoid Valve Parameters2
	1.4. F00RJ02701 Injector Solenoid Valve Specifications And Dimensions
1.000	1.5. F00RJ02701 Injector Solenoid Valve Quality Control2
Star.	1.6. F00RJ02701 Injector Solenoid Valve Customization Service
	1.7. F00RJ02701 Injector Solenoid Valve Packaging List And Packaging Dimensions
	1.8. F00RJ02701 Injector Solenoid Valve Testing Standards and Certificates
Star -	1.9. F00RJ02701 Injector Solenoid Valve Warranty Instructions
	1.10. F00RJ02701 Injector Solenoid Valve Manufacturer7
	2. F00RJ02701 Injector Solenoid Valve Technical Support
Stower .	2.1. F00RJ02701 Injector Solenoid Valve Utilized Location7
	2.2. F00RJ02701 Injector Solenoid Valve Installation7
-55	2.3. Reasons of F00RJ02701 Injector Solenoid Valve Not Working Normally
3h gur	2.4. Causes of F00RJ02701 Injector Solenoid Valve Being Damaged
-	2.5. F00RJ02701 Injector Solenoid Valve Technical Support Obtaining Methods
	3. F00RJ02701 Injector Solenoid Valve Purchase And Delivery
al gar	3.1. F00RJ02701 Injector Solenoid Valve Purchase And Payment Term
1977 - C	3.2. F00RJ02701 Injector Solenoid Valves Main Sales Markets10
	3.3. F00RJ02701 Injector Solenoid Valve Declaration Requirements
al for	3.4. F00RJ02701 Injector Solenoid Valve Shipping Ways
	3.5. F00RJ02701 Injector Solenoid Valve Delivery Time
1	3.6. F00RJ02701 Injector Solenoid Valve Logistics Time for Destination Out of China's Areas
all all a second	3.7. F00RJ02701 Injector Solenoid Valve Shipping Package11
201	4. F00RJ02701 Injector Solenoid Valve Storage Standards
1	5. Company Information
while?	5.1. Company Introduction
223	5.2. Sales Contact Information
	6. Copyright Statement14

5PUTTE

98⁶³⁰

580,590

Ten. Ten.

-91^{9,201} Mob/Whatsapp: +86 13410541523 Email :ruby@shumatt.com © 2022 Shenzhen Shumatt Technology Co., Ltd.

. 1997 -

Tel: +8675523215133 Website : www.shumatt.com

 \wp^{0}

 φl^2_{i}

 $\varphi \delta^{0}$

 $q \theta^0$

 ϕ^{0}

 $\varphi_{i}^{(2)}$

and ^{all a}

-03⁴⁷⁴

Injector Solenoid Valve F00RJ02701 Technical File

1. F00RJ02701 Injector Solenoid Valve Introduction

1.1. FOORJ02701 Injector Solenoid Valve Basic Information

SPANON S

Title			China N	/lade New	0445120 Series Injector Sol	enoid Valve F0	ORJ02701
ALTER C	SKU	13. E. S.	and the second	ALTER ?	G1B2F00RJ02701	FT ANT	and all the second second

1.2. F00RJ02701 Injector Solenoid Valve Common Part Number

(1) Injector Solenoid Valve Applicable for Injector Model

Injector Part Number	Injector Part Number	Injector Part Number	Injector Part Number
0445120027	and a set of a set	and some an	St
ವರ್ಷ ವರ್ಷ ಮೇ	ST ST ST	and all all all all all all all all all al	

(2) Injector Solenoid Valve Application Information

	Vehicle brand	Car Model	Engine Model	OE Number		
201	CHEVROLET	Silverado 3500 6.6	LLY	97303657、897303657C		
	A 41	in in in	the liter	Son 12 - 12		

(3) Injector Solenoid Valve's Common Writing Methods 0445120027, F00RJ02701, 97303657, 8 97303 657 C

1.3. F00RJ02701 Injector Solenoid Valve Parameters Adaptation System: Common Rail System Injector Solenoid Valve Series: 120 series CRIN1-14/16 Injector Solenoid Valve Type: Solenoid Type

1.4. F00RJ02701 Injector Solenoid Valve Specifications And Dimensions Injector Solenoid Valve Size: 5cm* 3cm *3cm =55cm³ Individual Injector Solenoid Valve Weight: 80g Injector Solenoid Valve With Packaging Weight: 100g Injector Solenoid Valve Quality: China Made New Injector Solenoid Valve Packaging Size: 7cm* 5cm *5cm Injector Solenoid Valve Type: High Pressure Common Rail Injector Solenoid Valve

Injector Solenoid Valve Minimum Order Quantity: 1 piece

1.5. F00RJ02701 Injector Solenoid Valve Quality Control

(1) Injector Solenoid Valve Testing

All parts of the injector solenoid valve have undergone electrical characteristics testing, precision testing, high temperature testing, low temperature testing, withstand pressure testing, leakage testing, durability testing, and various working conditions testing.

(2) Injector Solenoid Valve Installation

In addition, the injector solenoid valve production and installation process is quality controlled. Our

Mob/Whatsapp: +86 13410541523 Email :<u>ruby@shumatt.com</u> © 2022 Shenzhen Shumatt Technology Co., Ltd.

company strictly follows the standard product installation data and product installation steps for installation, such as injector solenoid valve stroke test, injector solenoid valve solenoid valve tightening torque, injector solenoid valve nozzle tightening torque.

(3) Injector Solenoid Valve Inspection

The factory inspection of the injector solenoid valve has undergone three inspections: full inspection, random inspection, and batch inspection. Different brands of test benches are used to test the same injector solenoid valve for a total of no less than three times for factory inspection, and the fuel injector installation testing environment are progressed in dust-free workshop.

1.6. F00RJ02701 Injector Solenoid Valve Customization Service

(1) Injector Solenoid Valve Customization Service Coverage: Meet OEM manufacturers' customization needs for shell engraving, logo engraving, injector solenoid valve internal packaging, injector solenoid valve external packaging and labels, etc.



(2) Injector Solenoid Valve Customization Service Requirements:

The purchase of customized injector solenoid valve is no less than 10 pieces.

The purchase of customized injector solenoid valve boxes is no less than 1000 pieces.

Customized products involve the need of specify logo, the OEM manufacturer needs to provide trademark authorization and the sample of logo image file.

Once the customized injector solenoid value is sold, it can't be returned or exchanged if there is no quality problems.

1.7. FOORJ02701 Injector Solenoid Valve Packaging List And Packaging Dimensions (1) Injector Solenoid Valve Parts List

e.	NO.	1	2	3	10
	sh ^{um} shi	ar at	5 - 5 - 5 - 5 - 5 - 5 - 5 - 5 - 5 - 5 -	· · · · · · · · · · · · · · · · · · ·	$\phi^{\mu\nu\nu}$
Ċ.	Picture		STATE TE STATE		20555
é	Name	Injector Solenoid Valve Assembly	Clapboard	Solenoid Valve O-Ring	an ⁵⁵
1	Description	Injector solenoid valve part	Prevent contact between the	Ensure that the sealing	

15

Mob/Whatsapp: +86 13410541523 Email :<u>ruby@shumatt.com</u> © 2022 Shenzhen Shumatt Technology Co., Ltd.

stoⁿⁱ

anti anti

STRINGT	SPACEMENT SPAC	SPIT SPITT	SHRIPPIT'S	Primeria 24	TOWL PHYLIC	TT STATUT	NT SILVIN	C SHERRY	SPATIN	58 28
SILUDIAT	SHUM?		oorjo2701	positive	and negative p e solenoid valv	oles of	performanc solenoid v	valve and th	ne ^{sara}	5 98
SHURST	NO.	- T	1	1200	5	<u></u>	-	reaches the ndard 6		5 - 98
SPARAT	Picture	A CARLER OF CONTRACT OF CONTRACT.	1	(1997) T		ari Shaff	17 S		T STATIST	5 98
SPAINT	Name	Green Ant	i-Rust Bag	a start and	Lining	and and	Packa	olenoid Valv ging Box	ve Standin	r A
-station"	Description	Prevent injed valve fro	ctor solenoid m rusting	valve fr	t the injector so om being dama external forces	iged by	solenoid	ne injector d valve and essories	5	5
SHUMPTI	cover, inje	ors are prohibite actor solenoid v ag to avoid perse	alve shell pro	tective cove	~					2 2 2
SHUMAT	. 691	gs and nozzle alled again.	washer shim :	are one-tim	e installation a	ccessories	and need t	o be repla	ced Andrea	್ ಖೇ
STUDIE	a dille and	nozzle protectiv recyclable acce	1.15		valve shell prot	ective cove	r, and oil rei	turn protec	tive St ^{alent}	d Sl
STATEST	A VCI a after usin	nti-rust bags ar g.	d bubble bags	are non-de	gradable mater	rials, please	dispose of	them prop	erly States	5 98
SPANIST		njector solenoid installation.	d valve and the	e installatior	n part duct mus	t be treate	d with appr	opriate sea	ling Stratter	्र इन्हे
SHAMPST	(2) Injector	Solenoid Valve	Packaging Bo	x Size	SUPERIA SUPERIA	ari Shine	N ^T SPUND	CI SPERIORI	T STREEM	r S
SHUDDET	SPAIRSTT SPAI	SPATT SPADINT	SPRINGET S	PORTENT SP	UNIT' SAUT	TT SPUTT	NI SAUDA	T SPERIOR	SPERIMENT	r SP
SPURST	SPANDATT SPAN	ONT SPERAT	SHREET ST	RUTERT SH	UNIT' SPUN	TT SPLIT	NT SAUDA	(T SPRINT	SPLERA	r sf

STATIST 51^{0,570} 41^{0,20} 578-358 Mob/Whatsapp: +86 13410541523 Email :ruby@shumatt.com © 2022 Shenzhen Shumatt Technology Co., Ltd. 4/15 . and

SPERMI

 $\varphi^{\beta^{(i)}}$

3.1⁹¹⁶

 $\varphi^{g^{q^1}}$

STUDIE

. 199⁵⁵

SPUTT

 $S^{(i)}$

 $g \delta^{(1)}$

97.29F

 $\phi^{(n)}$

SPERAT

3192575T

SHUMP

STRATES

SPLIDE

RUSSE

SHAMM

ASTRONT.

17800

31⁵⁷³ Tel: +8675523215133 Website : www.shumatt.com

SHUDIN

A.R. STAT

SPLERT

1,555

- 100⁴⁷⁵

518-509⁻⁵

SPREAT

 $\otimes^{\hat{\mathcal{C}}}$

 $g\hat{\beta}$

 ϕ^{0}



S	NO.	Name		Injector Solenoid Valve Packaging Size (Cm)		Cm)		
-32	1	injector solenoid valve packaging box	\$2.00m	Store.	7*5*5	S. Car	St.	3 ²³⁰⁰

SPUDAT 1.8. FOORJ02701 Injector Solenoid Valve Testing Standards and Certificates

We can provide the factory quality inspection test report of each injector solenoid valve to ensure that each injector solenoid valve delivered meets the engine performance indicators.



1.9. F00RJ02701 Injector Solenoid Valve Warranty Instructions

Mob/Whatsapp: +86 13410541523 Email :ruby@shumatt.com © 2022 Shenzhen Shumatt Technology Co., Ltd.

100

SPALE

- 188⁵⁵

Tel: +8675523215133 Website : www.shumatt.com

1997

st^{asti}

. 1997 ⁽¹

gi^{ali}

519.0057

and the

(1) Product Warranty Conditions And Instructions

It is necessary to provide pictures, videos, or test reports tested by the injector solenoid valve inspection equipment when the injector solenoid valve is abnormal during use as evidence to feed back to the salesman. Abnormal conditions are properly explained such as: 1.Smoke, 2. Engine shake, 3. Difficulty starting the engine, 4. Engine noise, 5. Oil leakage etc.

(2) Injector Solenoid Valve Warranty Coverage

1 After customer receives the F00RJ02701 injector solenoid valve within 15 days , if there is a performance failure and the product has no damage on surface, customer can choose to replace it or repair

② If the FOORJO2701 injector solenoid valve has performance problems during the warranty period (3 months), and it is confirmed to be product's problems after being tested, you can contact our salesmen to replace the same model or a reworked product with the same performance for free;

(3) If the injector solenoid valve shell has obvious scratches, it can only be repaired and it will be returned as it is if the product is confirmed to be fault-free.

Tips: For products not covered by warranty, our company can provide paid maintenance services. For products after paid repaired, the same performance problem will have a free warranty period within 3 months from the date of repairing.

18 N

(3) Injector Solenoid Valve Is Not Covered By Warranty

① The warranty period has expired.

Injector solenoid valve failure caused by high temperature, high pressure, humidity, rain and snow, saline-alkali land, earthquake, and used in abnormal environment.

③ Customer disassembles or repairs the injector solenoid valve personally resulting in damage to the injector solenoid valve.

④ Injector solenoid valve damage caused by man-made reasons (throwing, strong magnetic field magnetization, set fire).

5 Injector solenoid valve failure or injector solenoid valve damage caused by non-injector solenoid valve design, technology, manufacturing, quality and other issues.

6 - Injector solenoid valve failure due to system pressure exceeding system approved pressure.

⑦ Injector solenoid valve failure caused by system voltage exceeding approved voltage.

Injector solenoid valve failure caused by impurities (water, lead, aluminum powder, iron powder, sulfide) in the system fuel exceeding the standard requirements.

Injector solenoid valve failure caused by not installing according to the tightening torque specified in the vehicle engine maintenance manual (the tightening torque is too large or too small).

Injector solenoid valve failure caused by not following the installation angle specified in the vehicle engine maintenance manual.

11 Injector solenoid valve failure caused by not following the cleaning requirements specified in the vehicle engine maintenance manual.

12 Injector solenoid valve failure caused by failure to replace consumable parts as specified in the vehicle engine maintenance manual.

13 Injector solenoid valve failure caused by not complying with the intake system fit clearance and exhaust system fit clearance requirements specified in the vehicle engine maintenance manual. 14 Failure to replace the consumable parts and the fitting clearance of the oil inlet system pipeline

and the injector solenoid valve connection in accordance with the fuel intake system specified in the vehicle engine maintenance manual.

312,000

1.10. FOORJ02701 Injector Solenoid Valve Manufacturer

SPURE

SUL

STATEST

SPAINT

STRUMPT


SHUMPIC

STRUCT

Injector Solenoid Valve Manufacturer: Shenzhen Shumatt Technology Co., Ltd.

2. F00RJ02701 Injector Solenoid Valve Technical Support

2.1. F00RJ02701 Injector Solenoid Valve Utilized Location (1) Example: The code of the injector solenoid valve is as follows



2.2. FOORJ02701 Injector Solenoid Valve Installation

(1) F00RJ02701 Injector solenoid valve Installation Precautions:

. all 12

1 The replacement of the injector solenoid valve must strictly follow the electrical system, the $_{\odot}$ approved pressure of the low-pressure fuel intake system, the approved pressure of the high-pressure fuel $_{\odot}$

Mob/Whatsapp: +86 13410541523 Email :ruby@shumatt.com © 2022 Shenzhen Shumatt Technology Co., Ltd. 7 / 15

1997 - N

Tel: +8675523215133 Website : www.shumatt.com

al^{er}

circuit system, and fuel system replacement consumables requirements (including the low-pressure fuel circuit system filter and the high-pressure fuel circuit) specified in the vehicle engine maintenance manual.

② Replacement of wearing parts of the fuel system, cleaning requirements for the connection between the fuel system and the injector solenoid valve, the fitting clearance of the injector solenoid valve connection, the installation angle and tightening torque of the injector solenoid valve, the fitting clearance of the intake system, and the fitting clearance of the exhaust system to ensure the service life of the engine and the normal operation of the injector solenoid valve.

③ When installing the injector solenoid valve on the engine, it is necessary to clean the engine block, cylinder head and other parts connected to the injector solenoid valve, and ensure that there is no dust, carbon deposits, water, rust spots, etc.

Image and Before installing, check whether the injector solenoid valve washer shim has been replaced and installed on the injector solenoid valve.

5 When installing the injector solenoid valve, apply lubricant between the injector solenoid valve, fuel nozzle sealing washer shim and O-ring.

6 Without replacing new washer shim can lead to: deformation of the tight cap of nozzle, deformation of nozzle, deformation of nozzle orifice, oil leakage and air leakage, which will cause serious damage to the injector solenoid valve and nozzle to break and cause damage to the engine.

⑦ When installing the injector solenoid valve on the engine, please carefully check the components related to the installation of the injector solenoid valve, such as the injector solenoid valve pressure plate, screw, injector solenoid valve rod and other accessories are not deformed, and install it in strict accordance with the operation steps of the engine maintenance manual.

8 It is forbidden to operate the bare injector solenoid valve for a long time in an environment with serious dust pollution and corrosion to iron products.

It is forbidden to operate the bare injector solenoid valve for a long time in a strong magnetic field environment.

2.3. Reasons of F00RJ02701 Injector Solenoid Valve Not Working Normally

(1) There is air in the oil circuit of the engine fuel system.

(2) Vehicle injector solenoid valve oil supply system is not normal.

(3) Engine common rail system oil leakage or pressure limiting valve damage.

(4) There is a short circuit, cutting out and poor contact in the wiring harness connected to the injector solenoid valve of the vehicle.

(5) The long-term placement of the injector solenoid valve causes the anti-rust oil to solidify, and the internal components are stuck or the oil holes are blocked.

A Before installing, carefully check whether other components in the common rail system are damaged

so as to prevent the injector solenoid valve from not working properly after being replaced.

2.4. Causes of FOORJ02701 Injector Solenoid Valve Being Damaged

- (1) Didn't operate properly according to engine maintenance manual during disassembly or installation, resulting in damage to the injector solenoid valve .
- (2) The fuel oil used for the vehicle does not meet the standard cause damage to the injector solenoid valve, such as: the water content in the fuel oil exceeds the standard, iron powder, aluminum powder,

/ 15

- sulfide impurities exceed the standard, etc.
- (3) The engine is not regularly maintained according to the engine maintenance manual (please refer to the vehicle maintenance manual for the maintenance mileage). For example, failure to replace the lubricating oil of the engine system for a long time will cause abnormal wear of the engine, excessive exhaust gas volume or a large amount of carbon deposits inside the engine. The filter is not replaced during maintenance or the replaced filter cannot reach the original filter standard. all above reasons can cause damage to the injector solenoid valve.
- (4) The abrasion of the oil pump produces iron powder and aluminum powder enter the injector solenoid valve and cause damage to the injector solenoid valve.
- (5) The deformation and abrasion of fuel tank result in iron powder or aluminum powder entering the injector solenoid valve and causing damage to it.
- 6) The injector solenoid value is damaged due to replacement or adjustment of the relevant parts of the injector solenoid value. For example, the value clearance does not meet the standard after the engine is repaired, the replacement or modification of the wiring harness connected to the injector solenoid value fails to meet the original standard.
- (7) The engine is overheated and overloaded for a long time working results in damage to the injector solenoid valve.
- (8) The injector solenoid valve will be damaged naturally at the end of its working life.
- (9) The injector solenoid valve is magnetized (injector solenoid valve parts' magnetic exceeded) causing the injector solenoid valve to not work properly.

Before replacing the injector solenoid valve, please check the engine parts carefully according to the engine maintenance manual to avoid the injector solenoid valve being damaged again after replacement.

2.5. F00RJ02701 Injector Solenoid Valve Technical Support Obtaining Methods

- (1) Injector solenoid valve technical data: visit <u>http://shumatt.com</u> to get the technical data.
- (2) Injector solenoid valve technical videos:
- Facebook: Visit <u>https://www.facebook.com/hison.li</u> to get the technical videos, constantly follow can get more information.

YouTube: <u>https://www.youtube.com/channel/UCByvYBx7VjV_mAfxh_Hu-aw</u> to get the technical videos,

constantly follow can get more information.

Shumatt: Visit <u>http://shumatt.com t</u>o obtain the technical videos.

- (3) Injector solenoid valve Information query software
- TruckBook Parts EPC APP, download and install on Android/Apple App Store , visit <u>http://shumatt.com</u> to get the download and installation tutorial
- (4) Search the Injector solenoid valve test data through TruckBook Parts EPC APP.

3. F00RJ02701 Injector Solenoid Valve Purchase And Delivery

3.1. F00RJ02701 Injector Solenoid Valve Purchase And Payment Term Payment Method: T/T, Paypal, Alipay, WeChat

A Please contact our salesmen for specific payment information.

Mob/Whatsapp: +86 13410541523 Email :<u>ruby@shumatt.com</u> © 2022 Shenzhen Shumatt Technology Co., Ltd.

3.2. FOORJ02701 Injector Solenoid Valves Main Sales Markets Main Sales Markets Of Injector Solenoid Valves: Asia, Europe, North America, South America, Africa etc.

3.3. FOORJ02701 Injector Solenoid Valve Declaration Requirements

Shumatt can assist customers to provide the following documents for import customs clearance: contract, invoice, packing list, bill of lading, insurance policy, certificate of origin, etc.

3.4. F00RJ02701 Injector Solenoid Valve Shipping Ways

Destination in China areas: SF Express, Debon Express, the corresponding logistics company can be provided according to customer requirements in special cases.

Destinations out of China's areas: DHL, UPS, FedEx, TNT air, ocean or other shipping methods required by customers.

3.5. F00RJ02701 Injector Solenoid Valve Delivery Time

Delivery Time: Send out within 3 - 7 working days after receiving payment (Except for special products and special cases).

3.6. FOORJ02701 Injector Solenoid Valve Logistics Time for Destination Out of China's Areas 10.20° -0.58°

DHL Logistics Time:

Place Of Departure	Hong Kong	Other Countries Or Regions In Asia	Australia and New Zealand	Europe	America	Other Countries
Mainland of China	S ²⁰⁰ 7	7.	85.8	8	8-12	7-10

UPS Logistics Timeliness: Country or region of origin: Mainland China

OF'S Logistics Timeliness. Country of region of origin. Manhand China					
Country of Destination	Estimated Arrival Time	Country of Destination	Estimated Arrival Time	Country of Destination	Estimated Arrival Time
Japan	3 Days	Britain	5-7 Days	Egypt	5-7 Days
Turkey	5-7 Days	Singapore	3 Days	Switzerland	5-7 Days
Bahrain	5-7 Days	Latvia	7-10 Days	New Zealand	7-10 Days
Sri Lanka	5-7 Days	Thailand	3 Days	Austria I	5-7 Days
Romania	5-7 Days	Vietnam	3-5 Days	Estonia	5-7 Days
Malaysia	3-5 Days	Israel	5-7 Days	Mexico	7-10 Days
France	5-7 Days	USA	5-7 Days	United Arab Emirates	5-7 Days
italy	5-7 Days	Netherlands	5-7 Days	Bengal	7-10 Days
lebanon	5-7 Days	Philippines	3-5 Days	Greece	7-10 Days
South Korea	3 Days	Spain	5-7 Days	Myanmar	5-7 Days
Canada	5-7 Days	Germany	5-7 Days	Saudi Arabia	7-10 Days
Portugal	5-7 Days	Australia	5-7 Days	South Africa	7-10 Days
Denmark	5-7 Days	Belgium	5-7 Days	Ukraine	7-10 Days
India	7-10 Days	Qatar	7-10 Days	Poland	5-7 Days
Indonesia	3-5 Days	Morocco	7-10 Days	Pakistan	7-10 Days
Kuwait	7-10 Days	all all	ast a	I all all	e par

10/15

Mob/Whatsapp: +86 13410541523 Email :ruby@shumatt.com © 2022 Shenzhen Shumatt Technology Co., Ltd.

The logistics time is for reference only, subjects are according to the actual arrival.

3.7. F00RJ02701 Injector Solenoid Valve Shipping Package

SALESS'

 $p^{(p)}$

SHAMPER

NUMBER

NORT

STATES -

Domestic express packaging: Usually wrapped in waterproof scotch tape, such as picture No.1. International express packaging: Wrapped with waterproof yellow tape after wrapping the black protective film, such as picture No. 2.

Pallet Shipping: Use fumigation free and recycling trays that meet export requirements, and use white wrapping protective film to wrap and bind with cable ties for the outside, such as picture No. 3, also, the products can be packaged according to customers' requirements.

The packing tray is made of plastic and can be recycled.

Transparent tape, yellow tape, black wrapping protective film, white wrapping protective film are film.

non-degradable materials, please dispose of them properly.

A Minors are prohibited from using transparent tape, yellow tape, black wrapping protective film,

SP IN

gh^{gai}

and white wrapping protective film to avoid personal injury.



Domestic express packaging: Wrapped with Transparent tape





SP.MA



Pic No. 3

Mob/Whatsapp: +86 13410541523 Email :ruby@shumatt.com © 2022 Shenzhen Shumatt Technology Co., Ltd. 11/15 - 100²⁵¹

Tel: +8675523215133 Website : www.shumatt.com

58^{0,555}

-91^{0,00}

State.

Pallet Shipping: Use pallet that meet export requirements, and use white wrapping protective film to wrap and bind with cable ties

4. F00RJ02701 Injector Solenoid Valve Storage Standards

(1) Choose a suitable storage place

18 B

gh^{yfill}

The warehouse and cargo yard where the injector solenoid valves are stored should be kept clean and dry, and away from the factory buildings that generate harmful gases and dust; do not mix with acid, alkali, salt and other substances; the storage place should have a good drainage system; the cargo yard should be flattened with gravel or furnace ash etc. to enhance the water permeability of the surface layer to keep the reservoir area dry.

(2) Strict storage requirements

Strict inspections should be carried out when the injector solenoid valves are put into storage, the surface cleaning work should be done well to remove water traces, oil stains, ash and other dirt, remove the rust and do anti-rust treatment in time. Packaged injector solenoid valves must be protected from damage.

(3) Keep the warehouse dry and do moisture-proof work

The relative humidity is usually below 70% for the injector solenoid valves placed in the room, and the corrosion of the injector solenoid valves is significantly reduced.

Injector solenoid valves must be stored in the warehouse, and they are forbidden to store in the same warehouse with commodities with high water content.

(4) Reasonable stacking

After the injector solenoid value is exposed to rain, the corrosion rate will increase significantly. The purpose of sealing is to isolate the injector solenoid value from rainwater and humid air, so the warehouse window should be checked in time to avoid rainwater entering the warehouse.

If the injector solenoid valve package is damaged, it should be repaired or replaced; when the package is damp, the packaging material should be dried; if the original anti-corrosion and oil applied at the factory is found to be damaged or dried up, it should be cleaned and re-applied oil in time.

A It is forbidden to leave the injector solenoid valve exposed in the air for a long time.

A It is forbidden to store acid, alkali, salt and other substances together with the injector solenoid

2/15

A The unpacked injector solenoid valve must be rust-proof during secondary storage.

5. Company Information

valve.

Mob/Whatsapp: +86 13410541523 Email :<u>ruby@shumatt.com</u> © 2022 Shenzhen Shumatt Technology Co., Ltd.

Office Address **Global Exhibition**

p. States

199^{6,36}

5.1. Company Introduction Chinese company name: 深圳市舒马特科技有限公司 English company name: Shenzhen Shumatt Technology Co., Ltd. **Mobile Phone/WeChat:** +86-13410541523

Hong Kong Mobile Phone: +852-67653519

🍽 Tel: +86-755-23215133

Email: ruby@shumatt.com

Website: www.shumatt.com

Shenzhen Office: 11-12, Floor 14, Building 13, Qinchengda Building, Exit A, Honglang North Subway

Station, Bao'an District, Shenzhen, China Mainland

Shenzhen Office: Exit C, Qiao Touxi Metro Station, No. 66 Chongqing Road, Fuhai Avenue, Bao'an District,

Shenzhen, China Mainland

Anng Kong Office: Jianfa Street Industrial Zone, Tuen Mun, New Territories, Hong Kong, China

After-Sales Service Address: Please contact our salesmen to obtain and provide the corresponding product maintenance reasons (Reference: 1.9. FOORJO2701 Injector solenoid valve Warranty Instructions)

	J.Z.			
	NO.	Name	WeChat/Whatsapp	E-mail
	<u>(</u> 1	Ruby	+86-13410541523	ruby@shumatt.com
1	2	lvy at	+86-18025309821	sales@shumatt.com
	З	Rebecca	+86-18025349821	sales01@shumatt.com

Mob/Whatsapp: +86 13410541523 Email :ruby@shumatt.com © 2022 Shenzhen Shumatt Technology Co., Ltd. 13 / 15

. 153⁶³

	_ 5	HUMITT Shenzh	en Shumatt Technology	Co., Ltd.						
- 6 9 ¹⁹	4	Janny	+86-18028749821	sales02@shumatt.com						
Ster	5	Sam	+86-13316859821	Sales8@shumatt.com						
	6	Natalie	+86-18938945856	sales15@shumatt.com						
	<u>ر</u> آ	Ada	+86-1342286353	sales5@shumatt.com						
al Sec.	8	Hison Li	+86-18318811871	web@shumatt.com						
	9	Mecca	+86-18938948618	sales11@shumatt.com						
	10	Eric	+86 18319033618	sales3@shumatt.com						
	ີ 11	Wayne (Joaquín enespañol)	+86-13316959821	wayne@shumatt.com						
30.1	12	Sylvia	+86 18312499884	sales6@shumatt.com						
Visit http://shumatt.comfor the latest sales staff information										
	Note: The emails of Shumatt sales staff all end with @shumatt.com									

6. Copyright Statement

< 5

The copyright of any contents in this file "Injector Solenoid Valve FOORJ02701 Technical File" (including but not limited to parameters, data, text, charts, images, sounds, videos, etc.) belongs to Shenzhen Shumatt Technology Co., Ltd. Without the prior written permission of Shenzhen Shumatt Technology Co., Ltd., you are not allowed to modify, duplicate, republish any content in "Injector Solenoid Valve FOORJ02701 Technical File" in any way. At the same time, any conditions to spread, re-post, display the contents of "Injector Solenoid Valve FOORJ02701 Technical File" should indicate the source of the quoted article, Shenzhen Shumatt Technology Co., Ltd. Any actions failure to follow above conditions violate the "Copyright Law of the People's Republic of China" and other laws and regulations as well as relevant provisions of international conventions.

51^{9,39} Mob/Whatsapp: +86 13410541523 Tel: +8675523215133

Website : www.shumatt.com

Email :ruby@shumatt.com © 2022 Shenzhen Shumatt Technology Co., Ltd. 14/15

-1997) 1