

**094170-0040 Fuel Pump Roller Tappet Technical File**

**SKU: G1L30941700040**



**094170-0040 Fuel Pump Roller Tappet Technical File****content**

1. 094170-0040 Fuel Pump Roller Tappet Introduction.....	2
1.1. 094170-0040 Fuel Pump Roller Tappet Basic Information .....	2
1.2. 094170-0040 Fuel Pump Roller Tappet Common Part Number .....	2
1.3. 094170-0040 Fuel Pump Roller Tappet Parameter .....	2
1.4. 094170-0040 Fuel Pump Roller Tappet Specifications and Dimensions.....	2
1.5. 094170-0040 Fuel Pump Roller Tappet Quality Control .....	3
1.6. 094170-0040 Fuel Pump Roller Tappet Customized Service .....	3
1.7. 094170-0040 Fuel Pump Roller Tappet Packing List and Package Size .....	4
1.8. 094170-0040 Fuel Pump Roller Tappet Testing Standard and Certificate .....	5
1.9. 094170-0040 Fuel Pump Roller Tappet Warranty Instructions.....	5
1.10. 094170-0040 Fuel Pump Roller Tappet Manufacturer .....	6
2. 094170-0040 Fuel Pump Roller Tappet Technical Support .....	6
2.1. 094170-0040 Fuel Pump Roller Tappet Part Number Location .....	6
2.2. 094170-0040 Fuel Pump Roller Tappet Installation.....	7
2.3. 094170-0040 Fuel Pump Roller Tappet Reasons for Not Working Normally .....	7
2.4. 094170-0040 Fuel Pump Roller Tappet Causes of Being Damaged .....	8
2.5. 094170-0040 Fuel Pump Roller Tappet Technical Support Obtaining Methods .....	8
3. 094170-0040 Fuel Pump Roller Tappet Purchase and Delivery .....	8
3.1. 094170-0040 Fuel Pump Roller Tappet Purchase Payment Term .....	9
3.2. 094170-0040 Fuel Pump Roller Tappet Main Sales Markets .....	9
3.3. 094170-0040 Fuel Pump Roller Tappet Declaration Requirements.....	9
3.4. 094170-0040 Fuel Pump Roller Tappet Shipping Ways .....	9
3.5. 094170-0040 Fuel Pump Roller Tappet Lead time .....	9
3.6. 094170-0040 Fuel Pump Roller Tappet Logistics Time for Destination Out of China's Areas.....	9
3.7. 094170-0040 Fuel Pump Roller Tappet Packing.....	10
4. 094170-0040 Fuel Pump Roller Tappet Storage Standard .....	11
5. Company Information.....	12
5.1. Company Introduction.....	12
5.2. Sales-men's Contact Information.....	13
6. Copyright Statement.....	13

## 094170-0040 Fuel Pump Roller Tappet Technical File

### 1. 094170-0040 Fuel Pump Roller Tappet Introduction

#### 1.1. 094170-0040 Fuel Pump Roller Tappet Basic Information

Title	094170-0040 HPO Fuel Pump Roller Tappet	Quality
SKU	G1L30941700040	China Made New

#### 1.2. 094170-0040 Fuel Pump Roller Tappet Common Part Number

##### (1) Fuel Pump Roller Tappet Exchange Information

Fuel Pump Roller Tappet Part Number	Replacement Part Number
094170-0040	/

##### (2) Fuel Pump Roller Tappet Application Information

Fuel Pump Model	OE Number	Vehicle Brand	Engine Model
094000-0055	ME164845	/	/
094000-0061	22730-1022	/	/
094000-0171	ME164846	/	/
094000-0213	S2273-01091	HINO	K13C
094000-0235	S2273-01104	/	/
094000-0243	16731ND001	/	/
094000-0260	ME164965	MITSUBISHI	8M22
094000-0284	S2273-01122	/	/
094000-0340	/	KOMATSU	SAA6D140E-3
094000-0410	ME352519	MITSUBISHI	8M22

##### (3) Fuel Pump Roller Tappet Part Number Common Writing

094170-0040

#### 1.3. 094170-0040 Fuel Pump Roller Tappet Parameter

Adaptation System: Common Rail System

Fuel Pump Roller Tappet Series: HPO

Fuel Pump Roller Tappet Type: High Pressure Common Rail Fuel Pump Roller Tappet

#### 1.4. 094170-0040 Fuel Pump Roller Tappet Specifications and Dimensions

Fuel Pump Roller Tappet Size: 5cm\* 4cm \*4cm

Fuel Pump Roller Tappet Net Weight: 150g

Fuel Pump Roller Tappet Gross Weight: 200g

Fuel Pump Roller Tappet Quality: China Made New

Fuel Pump Roller Tappet Package Size: 15cm\*8 cm \*6 cm

Fuel Pump Roller Tappet MOQ: 1 Pieces

### 1.5. 094170-0040 Fuel Pump Roller Tappet Quality Control

#### (1) Fuel Pump Roller Tappet Testing

All fuel pump roller tappet spare parts are tested for electrical characteristics, accuracy, high temperature, low temperature, withstand voltage, leakage, durability, and various working conditions.

#### (2) Fuel Pump Roller Tappet Assembling

For the quality control of the fuel pump roller tappet production and installation process, our company strictly follows the standard product installation data and product installation steps to install, such as fuel pump roller tappet stroke test, fuel pump roller tappet fatigue spring test.

#### (3) Fuel Pump Roller Tappet Inspection

The factory inspection of the fuel pump roller tappet is undergone full inspection, random inspection, and batch inspection three inspections. Different brands of test benches are used to test the same fuel pump roller tappet for more than three times for factory inspection, and the fuel pump roller tappet installation testing environment are progressed in dust-free workshop.

### 1.6. 094170-0040 Fuel Pump Roller Tappet Customized Service

#### (1) Fuel Pump Roller Tappet's Customized Service Coverage:

Meet the customized needs of OEM manufacturers for shell lettering, logo engraving, fuel pump roller tappet internal packaging, fuel pump roller tappet external packaging and labels customized, etc.



#### (2) Fuel Pump Roller Tappet's Customized Service Requirements:

The quantity of customized fuel pump roller tappets shall not be less than **10 pieces**.

The quantity of customized fuel pump roller tappet packages shall not be less than **1000 pieces**.

Customized products involve the need of specify logo, the OEM manufacturer needs to provide trademark authorization and the sample of logo image file.

**⚠ Once the customized fuel pump roller tappet is sold, it cannot be returned or exchanged if there is no quality problem.**

**1.7. 094170-0040 Fuel Pump Roller Tappet Packing List and Package Size**
**(1) Fuel Pump Roller Tappet Spare Parts List**

No.	1	2	3
<b>Image</b>			
<b>Name</b>	Fuel Pump Roller Tappet Assy	Anti-rust Paper	Anti-rust Bag
<b>Description</b>	Fuel pump roller tappet assy number: 094170-0040	Prevent fuel pump roller tappets from rusting	Prevent fuel pump roller tappets from rusting

- ⚠ Minors are forbidden to use the fuel pump roller tappet assembly, O-ring, nozzle protective cover, fuel fuel pump roller tappet housing protective cover, oil return protective cover, VCI anti-rust bag, and air bubble bag to avoid personal injury.
- ⚠ VCI anti-rust bags and bubble bags are non-degradable materials, please dispose them properly after using.
- ⚠ The fuel pump roller tappet and the installation parts should be coated with appropriate sealing oil during installation.

**(2) Fuel Pump Roller Tappet Box Size**


No.	Name	Fuel Pump Roller Tappet Package Size (cm)
1	Fuel Pump Roller Tappet Box	15*8*6

### 1.8. 094170-0040 Fuel Pump Roller Tappet Testing Standard and Certificate

Shumatt can provide the factory quality inspection test report of each fuel pump roller tappet to ensure that each delivered fuel pump roller tappet meets the engine performance indicators.

BOTEN		测试报告	4.05.2019 10:42:09	
承检企业:				
电话:	地址:			
传真:	检测人:			
客户姓名:	电话:			
传真:	送检单位:			
检测用途:				
客户名称:	检测项			
型号-零件号:				
检测员:				
检测结果				
检测部位: 094170-0040	检测项	检测结果	检测范围	
EGAK TEST:	OK	—	20.6±1.0	<input checked="" type="checkbox"/>
End:	OK	+	19.5	<input checked="" type="checkbox"/>
WKR:	OK	14.9±0.5	OK	<input checked="" type="checkbox"/>
Max:	OK	21.9±1.4	OK	<input checked="" type="checkbox"/>
TL:	OK	24.6±0.5	OK	<input checked="" type="checkbox"/>
UL:	OK	15.7±0.8	OK	<input checked="" type="checkbox"/>
WE:	OK	4.5±0.2	OK	<input checked="" type="checkbox"/>
<input type="checkbox"/> 检测前 <input type="checkbox"/> 检测后 <input type="checkbox"/> 检测时				

### 1.9. 094170-0040 Fuel Pump Roller Tappet Warranty Instructions

#### (1) Product Warranty Conditions and Instructions

It is necessary to provide pictures, videos, or test reports detected by the fuel pump roller tappet inspection equipment when the fuel pump roller tappet is abnormal during use as evidence to feed back to the salesman.

Abnormal conditions are properly explained such as: 1. Smoke, 2. Engine shake, 3. Difficulty starting the engine, 4. Engine noise, 5. oil leakage etc.

#### (2) Fuel Pump Roller Tappet Warranty Coverage

Within 15 days after customer receives the 094170-0040 fuel pump roller tappet, if there is a performance failure and the product has no appearance damage, customer can choose to replace it or repair it;

If the 094170-0040 fuel pump roller tappet has performance problems during the warranty period (6-12 months), and it is confirmed that it is product's problems after testing, you can contact our salesmen to



replace the same model or a reworked product with the same performance for free;

If the fuel pump roller tappet house has obvious scratches, it can only be repaired and it will be returned as it is if the product is confirmed to be fault-free.

**⚠ Tips:** For products not covered by warranty, our company can provide paid maintenance services. For products after paid repaired, the same performance problem will have a free warranty period within 3 months from the date of repairing.

### (3) Fuel Pump Roller Tappet Out of Warranty Coverage

- ① The warranty period has expired.
- ② Fuel pump roller tappet failure caused by high temperature, high pressure, humidity, rain and snow, saline-alkali land, earthquake, and used in abnormal environment.
- ③ Customer disassembles or repairs the fuel pump roller tappet personally resulting in damage to the fuel pump roller tappet.
- ④ Fuel pump roller tappet damage caused by man-made reasons (throwing, strong magnetic field magnetization, set fire).
- ⑤ Fuel pump roller tappet failure or fuel pump roller tappet damage caused by non-fuel pump roller tappet design, technology, manufacturing, quality, and other issues.
- ⑥ Fuel pump roller tappet failure due to system pressure exceeding system approved pressure.
- ⑦ Fuel pump roller tappet failure caused by system voltage exceeding approved voltage.
- ⑧ Fuel pump roller tappet failure caused by impurities (water, lead, aluminum powder, iron powder, sulfide) in the system fuel exceeding the standard requirements.
- ⑨ Fuel pump roller tappet failure caused by not installing according to the tightening torque specified in the vehicle engine maintenance manual (the tightening torque is too large or too small).
- ⑩ Fuel pump roller tappet failure caused by not following the installation angle specified in the vehicle engine maintenance manual.
- 11 Fuel pump roller tappet failure caused by not following the cleaning requirements specified in the vehicle engine maintenance manual.
- 12 Fuel pump roller tappet failure caused by failure to replace consumable parts as specified in the vehicle engine maintenance manual.
- 13 Fuel pump roller tappet failure caused by not complying with the intake system fit clearance and exhaust system fit clearance requirements specified in the vehicle engine maintenance manual.
- 14 Failure to replace the consumable parts and the fitting clearance of the oil inlet system pipeline and the fuel pump roller tappet connection in accordance with the fuel intake system specified in the vehicle engine maintenance manual.

#### 1.10. 094170-0040 Fuel Pump Roller Tappet Manufacturer

Fuel Pump Roller Tappet's Manufacturer: Shenzhen Shumatt Technology Co., Ltd

#### 2. 094170-0040 Fuel Pump Roller Tappet Technical Support

##### 2.1. 094170-0040 Fuel Pump Roller Tappet Part Number Location

- 1) E.g.: See the fuel pump roller tappet part number as follows

No.	Name
-----	------

## 2.2. 094170-0040 Fuel Pump Roller Tappet Installation

### (1) 094170-0040 Fuel Pump Roller Tappet Installation Precautions:

- ⚠ The replacement of the fuel pump roller tappet must strictly follow the electrical system, the approved pressure of the low-pressure fuel intake system, the approved pressure of the high-pressure fuel circuit system, and fuel system replacement consumables requirements (including the low-pressure fuel circuit system filter and the high-pressure fuel circuit) specified in the vehicle engine maintenance manual.
- ⚠ Strictly follow the operation manual of replacement of wearing parts of the fuel system, cleaning requirements for the connection between the fuel system and the fuel pump roller tappet, the fitting clearance of the fuel pump roller tappet connection, the installation angle and tightening torque of the fuel pump roller tappet, the fitting clearance of the intake system, and the fitting clearance of the exhaust system, so that to ensure the service life of the engine and the normal operation of the fuel pump roller tappet.
- ⚠ When installing the fuel pump roller tappet on the engine, it is necessary to clean the engine block, cylinder head and other parts connected to the fuel pump roller tappet, and ensure that there is no dust, carbon deposits, water, rust spots, etc.
- ⚠ When installing the fuel pump roller tappet on the engine, please carefully check the components related to the installation of the fuel pump roller tappet to ensure they are not deformed, such as the fuel pump roller tappet pressure plate, screw, fuel pump roller tappet rod and other accessories, and install it in strict accordance with the operation steps of the engine maintenance manual.
- ⚠ It is forbidden to operate the bare fuel pump roller tappet for a long time in an environment with serious dust pollution and corrosion to iron products.
- ⚠ It is forbidden to operate the bare fuel pump roller tappet for a long time in a strong magnetic field environment.

## 2.3. 094170-0040 Fuel Pump Roller Tappet Reasons for Not Working Normally

- (1) There is air in the oil circuit of the engine fuel system.
- (2) Vehicle fuel pump roller tappet fuel supply system is abnormal.
- (3) Engine common rail system oil leakage or pressure limiting valve damage.
- (4) There is a short circuit, cutting out and poor contact in the wiring harness connected to the fuel pump roller tappet of the vehicle.
- (5) The long-term placement of the fuel pump roller tappet causes the anti-rust oil to solidify, and the internal components are stuck or the oil holes are blocked.

⚠ Before installing, carefully check whether other components in the common rail system except the fuel pump roller tappet are damaged to prevent the fuel pump roller tappet from not working properly after being replaced.

#### 2.4. 094170-0040 Fuel Pump Roller Tappet Causes of Being Damaged

- (1) Didn't operate properly according to engine maintenance manual during disassembly or installation, resulting in damage to the fuel pump roller tappet.
- (2) The fuel oil used for the vehicle does not meet the standard cause damage to the fuel pump roller tappet, such as: the water content in the fuel oil exceeds the standard, iron powder, aluminum powder, sulfide impurities exceed the standard, etc.
- (3) The engine is not regularly maintained according to the engine maintenance manual (please refer to the vehicle maintenance manual for the maintenance mileage). For example, failure to replace the lubricating oil of the engine system for a long time will cause abnormal wear of the engine, excessive exhaust gas volume or a large amount of carbon deposits inside the engine. The filter is not replaced during maintenance or the replaced filter cannot reach the original filter standard. all above reasons can cause damage to the fuel pump roller tappet.
- (4) The abrasion of the fuel pump roller tappet produces iron powder and aluminum powder enter the fuel pump roller tappet and cause damage to the fuel pump roller tappet.
- (5) The deformation and abrasion of fuel tank result in iron powder or aluminum powder entering the fuel pump roller tappet and causing damage to the fuel pump roller tappet.
- (6) The fuel pump roller tappet is damaged due to replacement or adjustment of the relevant parts of the fuel pump roller tappet. For example, the valve clearance does not meet the standard after the engine is repaired, the replacement or modification of the wiring harness connected to the fuel pump roller tappet fails to meet the original standard.
- (7) The engine is overheated and overloaded for a long-time working result in damage to the fuel pump roller tappet.
- (8) The fuel pump roller tappet will be damaged naturally at the end of its working life.
- (9) The fuel pump roller tappet is magnetized (fuel pump roller tappet parts' magnetic exceeded) causing the fuel pump roller tappet to not work properly.

**⚠** Before replacing the fuel pump roller tappet, please check the engine parts carefully according to the engine maintenance manual to avoid the fuel pump roller tappet being damaged again after replacement.

#### 2.5. 094170-0040 Fuel Pump Roller Tappet Technical Support Obtaining Methods

- (1) Fuel Pump Roller Tappet Technical File , visit <http://shumatt.com> to get the technical file.
- (2) Fuel Pump Roller Tappet Technical Videos  
**Facebook:** Visit <https://www.facebook.com/hison.li> to get the technical videos, constantly follow can get more information.
- YouTube:** [https://www.youtube.com/channel/UCByvYBx7VjV\\_mAfxh\\_Hu-aw](https://www.youtube.com/channel/UCByvYBx7VjV_mAfxh_Hu-aw) to get the technical videos, constantly follow can get more information.
- Shumatt:** Visit <http://shumatt.com> to get the technical videos.
- (3) Fuel Pump Roller Tappet Information Query Software  
TruckBook Parts EPC APP, Android/Apple App Store download and install, visit <http://shumatt.com> to get the download and installation tutorial
- (4) Search The fuel pump roller tappet test data through TruckBook Parts EPC APP.

#### 3. 094170-0040 Fuel Pump Roller Tappet Purchase and Delivery



## 3.1. 094170-0040 Fuel Pump Roller Tappet Purchase Payment Term

**Payment Terms:** T/T, PayPal, Alipay, WeChat

**⚠ Please contact our salesmen for specific payment information.**

## 3.2. 094170-0040 Fuel Pump Roller Tappet Main Sales Markets

Fuel pump roller tappet main sales markets: Asia, Europe, North America, South America, Africa etc.

## 3.3. 094170-0040 Fuel Pump Roller Tappet Declaration Requirements

Shumatt can assist customers to provide the following documents for import customs clearance: contract, invoice, packing list, bill of lading, insurance policy, certificate of origin, etc.

## 3.4. 094170-0040 Fuel Pump Roller Tappet Shipping Ways

**Destination in China Areas:** SF Express, Debon Express, the corresponding logistics company can be provided according to customer requirements in special cases.

**Destinations Out of China's Areas:** DHL, UPS, FedEx, TNT air, ocean or other shipping methods required by customers.

## 3.5. 094170-0040 Fuel Pump Roller Tappet Lead time

**Lead time:** Send out within 3 – 7 working days after receiving payment (Except for special products and special cases)

## 3.6. 094170-0040 Fuel Pump Roller Tappet Logistics Time for Destination Out of China's Areas

**DHL Logistics Time :**

Country or Region of Departure	Hong Kong, China	Other Countries or Regions of Asia	Australia and New Zealand	Europe	America	Other Countries
China's Mainland	7 Days	7 Days	8 Days	8 Days	8-12 Days	7-10 Days

**UPS Logistics Time: Country or Region of Departure: China's Mainland**

Country of Destination	Estimated Arrival Time	Country of Destination	Estimated Arrival Time	Country of Destination	Estimated Arrival Time
Japan	3 Days	UK	5-7 Days	Egypt	5-7 Days
Turkey	5-7 Days	Singapore	3 Days	Switzerland	5-7 Days
Bahrain	5-7 Days	Latvia	7-10 Days	New Zealand	7-10 Days
Sri Lanka	5-7 Days	Thailand	3 Days	Austria	5-7 Days
Romania	5-7 Days	Vietnam	3-5 Days	Estonia	5-7 Days
Malaysia	3-5 Days	Israel	5-7 Days	Mexico	7-10 Days
France	5-7 Days	America	5-7 Days	United Arab Emirates	5-7 Days
Italy	5-7 Days	Netherlands	5-7 Days	Bengal	7-10 Days
Lebanon	5-7 Days	Philippine	3-5 Days	Greece	7-10 Days

South Korea	3 Days	Spain	5-7 Days	Myanmar	5-7 Days
Canada	5-7 Days	Germany	5-7 Days	Saudi Arabia	7-10 Days
Portugal	5-7 Days	Australia	5-7 Days	South Africa	7-10 Days
Denmark	5-7 Days	Belgium	5-7 Days	Ukraine	7-10 Days
India	7-10 Days	Qatar	7-10 Days	Poland	5-7 Days
Indonesia	3-5 Days	Morocco	7-10 Days	Pakistan	7-10 Days
Kuwait	7-10 Days	/	/	/	/

**⚠ The logistics time is for reference only and is subject to the actual arrival.**

### 3.7. 094170-0040 Fuel Pump Roller Tappet Packing

**Domestic express packaging:** Usually wrapped in waterproof scotch tape, such as picture No.1.

**International express packaging:** Wrapped with waterproof yellow tape After wrapping the black protective film, such as picture No. 2.

**Pallet Shipping:** Use fumigation free and recycling trays that meet export requirements, and use white wrapping protective film to wrap and bind with cable ties for the outside, such as picture No. 3, also, the products can be packaged according to customers' requirements.

**⚠ The packing tray is made of plastic and can be recycled.**

**⚠** Transparent tape, yellow tape, black wrapping protective film, white wrapping protective film are non-degradable materials, please dispose of them properly.

**⚠** Minors are prohibited from using transparent tape, yellow tape, black wrapping protective film, and white wrapping protective film to avoid personal injury.



Pic No. 1

**Domestic express packaging:**

Wrapped with Transparent tape



Pic No. 2

**International express packaging:**

Wrapped with yellow tape after wrapping  
black protective film



Pic No. 3

**Pallet Shipping:** Use pallet that meet export requirements, and use white wrapping protective film to wrap and bind with cable ties

#### 4. **094170-0040 Fuel Pump Roller Tappet Storage Standard**

##### **(1) Choose a suitable storage place**

The warehouse and cargo yard where the fuel pump roller tappet is stored should be kept clean and dry, and away from the factory buildings that generate harmful gases and dust; do not mix with acids, alkali, salt and other substances; the storage place should have a good drainage system; the cargo yard should be flattened with gravel or furnace ash etc. to enhance the water permeability of the surface layer to keep the reservoir area dry.

##### **(2) Strict requirements of warehousing**

Strict inspections should be carried out when the fuel pump roller tappets are put into storage, the surface cleaning work should be done well to remove water traces, oil stains, ash, and other dirt, remove the rust and do anti-rust treatment in time. Packaged fuel pump roller tappets must be protected from damage.

##### **(3) Keep the warehouse dry and preventing moisture**

The relative humidity is usually below 70% for the fuel pump roller tappets placed in the room, and the corrosion of the fuel pump roller tappets is significantly reduced.

Fuel pump roller tappets must be stored in the warehouse, and they are forbidden to store in the same warehouse with commodities with high water content.

##### **(4) Stack Properly**

After the fuel pump roller tappet is exposed to rain, the corrosion rate will increase significantly. The purpose of sealing is to isolate the fuel pump roller tappet from rainwater and humid air, so the warehouse window should be checked in time to avoid rainwater entering the warehouse.

If the fuel pump roller tappet package is damaged, it should be repaired or replaced; when the package

is damp, the packaging material should be dried; if the original anti-corrosion and oil applied at the factory is found to be damaged or dried up, it should be cleaned and re-applied oil in time.

**⚠ It is forbidden to leave the fuel pump roller tappet exposed in the air for a long time.**

**⚠ It is forbidden to store acids, alkali, salt, and other substances together with the fuel pump roller tappet.**

**⚠ The unpacked fuel pump roller tappet must be rust-proof during secondary storage.**

## 5. Company Information



### 5.1. Company Introduction

**Chinese Name:** 深圳市舒马特科技有限公司

**English Name:** Shenzhen Shumatt Technology Co., Ltd

■ **Mob Phone/WeChat:** +86-13410541523

■ **HK Telephone:** +852-67653519

■ **Telephone:** +86-755-23215133

■ **Email:** ruby@shumatt.com

■ **Website:** www.shumatt.com

■ **Shenzhen Office:** 11-12, Floor 14, Building 13, Qinchengda Building, Exit A, Honglang North Subway Station, Bao'an District, Shenzhen, China's Mainland

■ **Shenzhen Office:** Exit C, Qiao Touxi Metro Station, NO. 66 Chongqing Road, Fu hai Avenue, Bao'an District, Shenzhen, China Mainland

■ **Hong Kong Office:** Jianfa Street Industrial Zone, Tuen Mun, New Territories, Hong Kong, China

■ **After-sales Service Address:** Please contact our salesmen to obtain and provide the corresponding product maintenance reasons (Reference: [1.9. 094170-0040 Fuel Pump Roller Tappet Warranty Instructions](#))

## 5.2. Sales-men's Contact Information

No.	Name	WeChat/WhatsApp	Email
1	Ruby	+86-13410541523	ruby@shumatt.com
2	Ivy	+86-18025299821	sales@shumatt.com
3	Rebecca	+86-18025349821	sales01@shumatt.com
4	Janny	+86-18028749821	sales02@shumatt.com
5	Sam	+86-13316859821	Sales8@shumatt.com
6	Natalie	+86- 18938945856	sales15@shumatt.com
7	Ada	+86-1342286353	sales5@shumatt.com
8	Hison Li	+86-18318811871	web@shumatt.com
9	Mecca	+86-18938948618	sales11@shumatt.com
10	Eric	+86 18319033618	sales3@shumatt.com
11	Wayne ( Joaquín en español )	+86-13316959821	wayne@shumatt.com
12	Sylvia	+86 18312499884	sales6@shumatt.com

Visit <http://shumatt.com> to obtain the latest information of salesmen

**PS:** Shumatt's sales-men's emails are all end with **@shumatt.com**

## 6. Copyright Statement

The copyright of any contents (including but not limited to parameters, data, text, charts, images, sounds,

or videos, etc.) provided in "**094170-0040 Fuel Pump Roller Tappet Technical File**" belong to Shenzhen Shumatt Technology Co., Ltd. Without the prior written permission of Shenzhen Shumatt Technology Co., Ltd., you are not allowed to modify any contents in "**094170-0040 Fuel Pump Roller Tappet Technical File**" in any way. At the same time, any conditions to spread, re-post, display the contents of "**094170-0040 Fuel Pump Roller Tappet Technical File**" should indicate that the cited article is from Shenzhen Shumatt Technology Co., Ltd., Any actions failure to follow above conditions to use "**094170-0040 Fuel Pump Roller Tappet Technical File**" will violate the "Copyright Law of the People's Republic of China" and other laws and regulations and the provisions of relevant international conventions. All referenced brands are property of their respective owners. This website is not affiliated with them.