


095011-2230 Injector Solenoid Valve O-ring Technical File

SKU: G1Y32950502332



095011-2230 Injector Solenoid Valve O-ring Technical File

Content

1. 095011-2230 Injector Solenoid Valve O-ring Introduction	1
1.1. 095011-2230 Injector Solenoid Valve O-ring Basic Information	1
1.2. 095011-2230 Injector Solenoid Valve O-ring Common Part Number	1
1.3. 095011-2230 Injector Solenoid Valve O-ring Parameter	1
1.4. 095011-2230 Injector Solenoid Valve O-ring Specifications and Dimensions	1
1.5. 095011-2230 Injector Solenoid Valve O-ring Quality Control	1
1.6. 095011-2230 Injector Solenoid Valve O-ring Customized Service	2
1.7. 095011-2230 Injector Solenoid Valve O-ring Packing List and Package Size	2
1.8. 095011-2230 Injector Solenoid Valve O-ring Testing Standard and Certificate	4
1.9. 095011-2230 Injector Solenoid Valve O-ring Warranty Instructions	4
1.10. 095011-2230 Injector Solenoid Valve O-ring Manufacturer	5
2. 095011-2230 Injector Solenoid Valve O-ring Technical Support	5
2.1. 095011-2230 Injector Solenoid Valve O-ring Technical Support Obtaining Methods	5
3. 095011-2230 Injector Solenoid Valve O-ring Purchase and Delivery	6
3.1. 095011-2230 Injector Solenoid Valve O-ring Purchase Payment Term	6
3.2. 095011-2230 Injector Solenoid Valve O-ring Main Sales Markets	6
3.3. 095011-2230 Injector Solenoid Valve O-ring Declaration Requirements	6
3.4. 095011-2230 Injector Solenoid Valve O-ring Shipping Ways	6
3.5. 095011-2230 Injector Solenoid Valve O-ring Lead time	6
3.6. 095011-2230 Injector Solenoid Valve O-ring Logistics Time for Destination Out of China's Areas ...	6
3.7. 095011-2230 Injector Solenoid Valve O-ring Packing	7
4. 095011-2230 Injector Solenoid Valve O-ring Storage Standard	8
5. Company Information	8
5.1. Company Introduction	9
5.2. Salesmen's Contact Information	9
6. Copyright Statement	10



095011-2230 Injector Solenoid Valve O-ring Technical File

1. 095011-2230 Injector Solenoid Valve O-ring Introduction

1.1. 095011-2230 Injector Solenoid Valve O-ring Basic Information

Title	095011-2230 Injector Solenoid Valve O-ring	Quality
SKU	G1Y32950502332	China Made New

1.2. 095011-2230 Injector Solenoid Valve O-ring Common Part Number

(1) Injector Solenoid Valve O-ring Compatible With Injector Part Number

Injector Part Number	Injector Part Number
/	/

(2) Injector Solenoid Valve O-ring Application Information

Engine Model	OE Number
/	/

(3) Injector Solenoid Valve O-ring Part Number Common Writing

/

1.3. 095011-2230 Injector Solenoid Valve O-ring Parameter

Adaptation System: **Common Rail System**

Injector Solenoid Valve O-ring Series: /

Injector Solenoid Valve O-ring Type: **Electromagnetic**

1.4. 095011-2230 Injector Solenoid Valve O-ring Specifications and Dimensions

Injector Solenoid Valve O-ring Size: **Outer Diameter 25.32mm, Inner Diameter 22.5mm, Diameter 1.5mm**

Injector Solenoid Valve O-ring Net Weight: **0.03g**

Injector Solenoid Valve O-ring Gross Weight: **30g**

Injector Solenoid Valve O-ring Quality: **China Made New**

Injector Solenoid Valve O-ring Box Size: **10*cm* 10cm *1cm**

Injector Solenoid Valve O-ring Type: **High Pressure Common Rail Injector Solenoid Valve O-ring**

Injector Solenoid Valve O-ring MOQ: **100 Pieces**

1.5. 095011-2230 Injector Solenoid Valve O-ring Quality Control

(1) Injector Solenoid Valve O-ring Testing

All injector solenoid valve O-rings are tested for electrical characteristics, accuracy, high temperature, low temperature, withstand voltage, leakage, durability, and various working conditions.

(2) Injector Solenoid Valve O-ring Assembling

Quality control during the production and installation of injector solenoid valve O-rings is strictly

enforced by our company in accordance with standard product installation data and procedures. This includes testing the injector solenoid valve O-ring stroke, tightening the injector solenoid valve O-ring solenoid valve torque, and tightening the injector solenoid valve O-ring and injector nozzle torque.

(3) Injector Solenoid Valve O-ring Inspection

The factory inspection of the injector solenoid valve O-ring has undergone three inspections: full inspection, random inspection, and batch inspection. Different brands of test benches are used to test the same injector solenoid valve O-ring for more than three times for factory inspection, and the injector solenoid valve O-ring installation testing environment are progressed in dust-free workshop.

1.6. 095011-2230 Injector Solenoid Valve O-ring Customized Service

(1) Injector Solenoid Valve O-ring Customized Service: Meet the customized needs of OEM manufacturers for body engraving, logo engraving, internal packaging of injector solenoid valve O-rings, external packaging of injector solenoid valve O-rings, and labels.



(2) Injector Solenoid Valve O-ring Customized Service Requirements:

Customized injector solenoid valve O-ring packages no less than **10 pieces**


Customized injector solenoid valve O-ring sales are not less than **1000 pieces**

When the customized products involve the need of specify logo, the OEM manufacturer needs to provide trademark authorization and the sample of logo image file.

▲ Once the customized injector solenoid valve O-ring is sold, it cannot be returned or exchanged if there is no quality problems.

1.7. 095011-2230 Injector Solenoid Valve O-ring Packing List and Package Size

(1) Injector Solenoid Valve O-ring Spare Parts List

No.	1	2	3
Image			
Name	Injector Solenoid Valve O-ring Assembly	Solenoid Valve Housing o-Ring Diameter Dimensions	Solenoid Valve Housing O-ring Inner Diameter
Description	/	Diameter measured 1.5mm	Inner diameter measured 22.5mm

No.	4	5	6
Image		/	/
Name	Injector Solenoid Valve Housing O-ring Outer Diameter	/	/
Description	Outer diameter measured 25.32mm	/	/

⚠ Minors are prohibited from using injector solenoid valve O-ring assemblies, VCI rust-proof papers to prevent personal injury.

⚠ The injector solenoid valve O-ring is a one-time installation accessory and needs to be replaced when reinstalling.

⚠ VCI rust-proof papers are made of non-degradable materials and should be disposed of properly after use.

(2) Injector Solenoid Valve O-ring Box Size



No.	Name	Injector Solenoid Valve O-ring Packing Size(cm)
1	Injector Solenoid Valve O-ring Packaging Box	10*10*1

1.8.095011-2230 Injector Solenoid Valve O-ring Testing Standard and Certificate

We can provide the factory quality inspection test report of each injector solenoid valve O-ring to ensure that each injector solenoid valve O-ring delivered meets the engine performance indicators.

BOTEN
测试报告
4.05.2019 10:42:09

承接企业: _____

电话: _____ 地址: _____

传真: _____ 检测人: _____

客户地址: _____ 检测单位: _____

电话: _____ 客户姓名: _____

传真: _____

检测描述: _____

零件名称: 喷油嘴

型号-零件号: _____

检测结论: _____

检测结果

检测器型号: COE002-6511

	检测的限值	检测结果	标准限值	标准范围	
ICAR TEST:	38	4	4.5	30.0-11.0	✓
Back:	38	4	7.0	4.0-21.0	✓
WAFR:	38	47.3±16.5	0.0	-----	✗
Max:	211.5	211.5±14.4	0.0	-----	✓
TL:	384	24.6±8.5	0.0	-----	✓
LL:	141	7.0±4.8	0.0	-----	✓
VE:	67	4.5±1.8	0.0	-----	✓

合格 不合格 待检 报废 其他

1.9. 095011-2230 Injector Solenoid Valve O-ring Warranty Instructions

(1) Product Warranty Conditions and Instructions

It is necessary to provide pictures, videos, or test reports detected by the injector solenoid valve O-ring inspection equipment when the injector solenoid valve O-ring is abnormal during use as evidence to feed back to the salesman.

Abnormal conditions are properly explained such as: 1.Smoke, 2. Engine shake, 3. Difficulty starting the engine, 4. Engine noise, 5. oil leakage etc.

(2) Injector Solenoid Valve O-ring Warranty Coverage

Within 15 days after customer receives the 095011-2230 injector solenoid valve O-ring, if there is a performance failure and the product has no appearance damage, customer can choose to replace it or repair it;

If the 095011-2230 injector solenoid valve O-ring has performance problems during the warranty period (6-12 months), and it is confirmed that it is product’s problems after testing, you can contact our salesmen to replace the same model or a reworked product with the same performance for free;



If the injector solenoid valve O-ring house has obvious scratches, it can only be repaired and it will be returned as it is if the product is confirmed to be fault-free.

▲ Tips: For products not covered by warranty, our company can provide paid maintenance services. For products after paid repaired, the same performance problem will have a free warranty period within 3 months from the date of repairing.

(3) Injector Solenoid Valve O-ring Out of Warranty Coverage

- ① The warranty period has expired.
- ② Injector solenoid valve O-ring failure caused by high temperature, high pressure, humidity, rain and snow, saline-alkali land, earthquake, and used in abnormal environment.
- ③ Customer disassembles or repairs the injector solenoid valve O-ring personally resulting in damage to the injector solenoid valve O-ring.
- ④ Injector solenoid valve O-ring damage caused by man-made reasons (throwing, strong magnetic field magnetization, set fire).
- ⑤ Injector solenoid valve O-ring failure or injector solenoid valve O-ring damage caused by non-injector solenoid valve O-ring design, technology, manufacturing, quality, and other issues.
- ⑥ Injector solenoid valve O-ring failure due to system pressure exceeding system approved pressure.
- ⑦ Injector solenoid valve O-ring failure caused by system voltage exceeding approved voltage.
- ⑧ Injector solenoid valve O-ring failure caused by impurities (water, lead, aluminum powder, iron powder, sulfide) in the system fuel exceeding the standard requirements.
- ⑨ Injector solenoid valve O-ring failure caused by not installing according to the tightening torque specified in the vehicle engine maintenance manual (the tightening torque is too large or too small).
- ⑩ Injector solenoid valve O-ring failure caused by not following the installation angle specified in the vehicle engine maintenance manual.
- ⑪ Injector solenoid valve O-ring failure caused by not following the cleaning requirements specified in the vehicle engine maintenance manual.
- ⑫ Injector solenoid valve O-ring failure caused by failure to replace consumable parts as specified in the vehicle engine maintenance manual.
- ⑬ Injector solenoid valve O-ring failure caused by not complying with the intake system fit clearance and exhaust system fit clearance requirements specified in the vehicle engine maintenance manual.
- ⑭ Failure to replace the consumable parts and the fitting clearance of the oil inlet system pipeline and the injector solenoid valve O-ring connection in accordance with the fuel intake system specified in the vehicle engine maintenance manual.

1.10. 095011-2230 Injector Solenoid Valve O-ring Manufacturer

Injector Solenoid Valve O-ring Manufacturer: Shenzhen Shumatt Technology Co., Ltd

2. 095011-2230 Injector Solenoid Valve O-ring Technical Support

2.1. 095011-2230 Injector Solenoid Valve O-ring Technical Support Obtaining Methods

- (1) Injector Solenoid Valve O-ring Technical File , visit <http://shumatt.com> to get the technical file.
- (2) Injector Solenoid Valve O-ring Technical Videos

Facebook: Visit <https://www.facebook.com/hison.li> to get the technical videos, constantly follow can get more information.

YouTube: https://www.youtube.com/channel/UCByvYBx7VjV_mAfxh_Hu-aw to get the technical videos,



constantly follow can get more information.

Shumatt: Visit <http://shumatt.com> to get the technical videos.

(3) Injector Solenoid Valve O-ring Information Query Software

TruckBook Parts EPC APP, Android/Apple App Store download and install, visit <http://shumatt.com> to get the download and installation tutorial

(4) Search the Injector Solenoid Valve O-ring Test Data Through TruckBook Parts EPC APP.

3.095011-2230 Injector Solenoid Valve O-ring Purchase and Delivery

3.1.095011-2230 Injector Solenoid Valve O-ring Purchase Payment Term

Payment Terms: T/T, PayPal, Alipay, WeChat

▲ Please contact our salesmen for specific payment information.

3.2.095011-2230 Injector Solenoid Valve O-ring Main Sales Markets

Injector solenoid valve O-ring main sales markets: Asia, Europe, North America, South America, Africa etc.

3.3.095011-2230 Injector Solenoid Valve O-ring Declaration Requirements

Shumatt can assist customers to provide the following documents for import customs clearance: contract, invoice, packing list, bill of lading, insurance policy, certificate of origin, etc.

3.4. 095011-2230 Injector Solenoid Valve O-ring Shipping Ways

Destination in China areas: SF Express, Debon Express, the corresponding logistics company can be provided according to customer requirements in special cases.

Destinations out of China’s areas: DHL, UPS, FedEx, TNT air, ocean or other shipping methods required by customers.

3.5. 095011-2230 Injector Solenoid Valve O-ring Lead time

Lead time: Send out within 3 – 7 working days after receiving payment (Except for special products and special cases) .

3.6. 095011-2230 Injector Solenoid Valve O-ring Logistics Time for Destination Out of China’s Areas

DHL Logistics Time :

Country or Region of Departure	Hong Kong, China	Other Countries or Regions of Asia	Australia and New Zealand	Europe	America	Other Countries
China’s Mainland	7 Days	7 Days	8 Days	8 Days	8-12 Days	7-10 Days

UPS Logistics Time: Country or Region of Departure: China’s Mainland

Country of Destination	Estimated Arrival Time	Country of Destination	Estimated Arrival Time	Country of Destination	Estimated Arrival Time
Japan	3 Days	UK	5-7Days	Egypt	5-7 Days
Turkey	5-7 Days	Singapore	3 Days	Switzerland	5-7 Days
Bahrain	5-7 Days	Latvia	7-10 Days	New Zealand	7-10 Days

Sri Lanka	5-7 Days	Thailand	3 Days	Austria	5-7 Days
Romania	5-7 Days	Vietnam	3-5 Days	Estonia	5-7 Days
Malaysia	3-5 Days	Israel	5-7 Days	Mexico	7-10 Days
France	5-7 Days	America	5-7 Days	United Arab Emirates	5-7 Days
Italy	5-7 Days	Netherlands	5-7 Days	Bengal	7-10 Days
Lebanon	5-7 Days	Philippine	3-5 Days	Greece	7-10 Days
South Korea	3 Days	Spain	5-7 Days	Myanmar	5-7 Days
Canada	5-7 Days	Germany	5-7 Days	Saudi Arabia	7-10 Days
Portugal	5-7 Days	Australia	5-7 Days	South Africa	7-10 Days
Denmark	5-7 Days	Belgium	5-7 Days	Ukraine	7-10 Days
India	7-10 Days	Qatar	7-10 Days	Poland	5-7 Days
Indonesia	3-5 Days	Morocco	7-10 Days	Pakistan	7-10 Days
Kuwait	7-10 Days	/	/	/	/

▲ The logistics time is for reference only , subjects are according to the actual arrival.

3.7. 095011-2230 Injector Solenoid Valve O-ring Packing

Domestic express packaging: Usually wrapped in waterproof scotch tape, such as picture No.1.

International express packaging: Wrapped with waterproof yellow tape After wrapping the black protective film, such as picture No. 2.

Pallet Shipping: Use fumigation free and recycling trays that meet export requirements, and use white wrapping protective film to wrap and bind with cable ties for the outside, such as picture No. 3, also, the products can be packaged according to customers' requirements.

▲ The packing tray is made of plastic and can be recycled.

▲ Transparent tape, yellow tape, black wrapping protective film, white wrapping protective film are non-degradable materials, please dispose of them properly.

▲ Minors are prohibited from using transparent tape, yellow tape, black wrapping protective film, and white wrapping protective film to avoid personal injury.

No.	1	2	3
Image			
Name	Domestic Express Packaging	International Express Packaging	Pallet Shipping
Description	Wrapped by transparent tape	Wrapped with yellow tape after wrapping black protective film	Use pallet that meet export requirements, and use white wrapping protective film to wrap and bind with cable ties



4.095011-2230 Injector Solenoid Valve O-ring Storage Standard

(1) Choose a suitable storage place

The warehouse and cargo yard where the injector solenoid valve O-ring is stored should be kept clean and dry, and away from the factory buildings that generate harmful gases and dust; do not mix with acids, alkalis, salts and other substances; the storage place should have a good drainage system; the cargo yard should be flattened with gravel or furnace ash etc. to enhance the water permeability of the surface layer to keep the reservoir area dry.

(2) Strict requirements of warehousing

Strict inspections should be carried out when the injector solenoid valve O-rings are put into storage, the surface cleaning work should be done well to remove water traces, oil stains, ash and other dirt, remove the rust and do anti-rust treatment in time. Packaged injector solenoid valve O-ring must be protected from damage.

(3) Keep the warehouse dry and preventing moisture

The relative humidity is usually below 70% for the injector solenoid valve O-rings placed in the room, and the corrosion of the injector solenoid valve O-rings is significantly reduced.

Injector solenoid valve O-ring s must be stored in the warehouse, and they are forbidden to store in the same warehouse with commodities with high water content.

(4) Stack Properly

After the injector solenoid valve O-ring is exposed to rain, the corrosion rate will increase significantly. The purpose of sealing is to isolate the injector solenoid valve O-ring from rainwater and humid air, so the warehouse window should be checked in time to avoid rainwater entering the warehouse

If the injector solenoid valve O-ring package is damaged, it should be repaired or replaced; when the package is damp, the packaging material should be dried; if the original anti-corrosion and oil applied at the factory is found to be damaged or dried up, it should be cleaned and re-applied oil in time.

- ▲ It is forbidden to leave the injector solenoid valve O-ring exposed in the air for a long time.
- ▲ It is forbidden to store acid, alkali, salt and other substances together with the injector solenoid valve O-ring.
- ▲ The unpacked injector solenoid valve O-ring must be rust-proof during secondary storage.

5. Company Information



**5.1. Company Introduction****Chinese Name:** 深圳市舒马特科技有限公司**English Name:** Shenzhen Shumatt Technology Co., Ltd **Mob Phone/WeChat:** +86-13410541523 **HK Telephone:** +852-67653519 **Telephone:** +86-755-23215133 **Email:** ruby@shumatt.com **Website:** www.shumatt.com **Shenzhen Office:** 11-12, Floor 14, Building 13, Qinchengda Building, Exit A, Honglang North Subway Station, Bao'an District, Shenzhen, China's Mainland **Shenzhen Office:** Exit C, Qiao Touxu Metro Station, NO. 66 Chongqing Road, Fuhai Avenue, Bao'an District, Shenzhen, China Mainland **Hong Kong Office:** Jianfa Street Industrial Zone, Tuen Mun, New Territories, Hong Kong, China **After-sales Service Address:** Please contact our salesmen to obtain and provide the corresponding product maintenance reasons (Reference: [1.9. 095011-2230 Injector Solenoid Valve O-ring Warranty Instructions](#))**5.2. Salesmen's Contact Information**

No.	Name	WeChat/WhatsApp	Email
1	Ruby	+86-13410541523	ruby@shumatt.com
2	Ivy	+86-18025299821	sales@shumatt.com
3	Rebecca	+86-18025349821	sales01@shumatt.com
4	Janny	+86-18028749821	sales02@shumatt.com
5	Sam	+86-13316859821	Sales8@shumatt.com
6	Natalie	+86- 18938945856	sales15@shumatt.com
7	Ada	+86-1342286353	sales5@shumatt.com
8	Hison Li	+86-18318811871	web@shumatt.com
9	Mecca	+86-18938948618	sales11@shumatt.com
10	Eric	+86 18319033618	sales3@shumatt.com
11	Wayne (Joaquín en español)	+86-13316959821	wayne@shumatt.com
12	Sylvia	+86 18312499884	sales6@shumatt.com

Visit <http://shumatt.com> to obtain the latest information of salesmen**PS:** Shumatt's salesmen's emails are all end with **@shumatt.com**



6. Copyright Statement

The copyright of any contents (including but not limited to parameters, data, text, charts, images, sounds or videos, etc.) provided in “095011-2230 Injector Solenoid Valve O-ring Technical File” belong to Shenzhen Shumatt Technology Co., Ltd. Without the prior written permission of Shenzhen Shumatt Technology Co., Ltd., you are not allowed to modify any contents in “095011-2230 Injector Solenoid Valve O-ring Technical File” in any way. At the same time, any conditions to spread, repost, display the contents of “095011-2230 Injector Solenoid Valve O-ring Technical File” should indicate that the cited article is from Shenzhen Shumatt Technology Co., Ltd., Any actions failure to follow above conditions to use “095011-2230 Injector Solenoid Valve O-ring Technical File” will violate the “Copyright Law of the People’s Republic of China” and other laws and regulations and the provisions of relevant international conventions.